

● PRINTER RUSH ●

(PTO ASSISTANCE)

Application : <u>10/032,032</u>	Examiner : <u>Camby</u>	GAU : <u>3661</u>
From: <u>J. Blach</u>	Location: <u>IDC</u> FMF FDC	Date: <u>12/30/04</u>
Tracking #: <u>060318100</u>		Week Date: <u>10/25/04</u>

DOC CODE	DOC DATE	MISCELLANEOUS
<input type="checkbox"/> 1449	_____	<input type="checkbox"/> Continuing Data
<input type="checkbox"/> IDS	_____	<input type="checkbox"/> Foreign Priority
<input type="checkbox"/> CLM	_____	<input type="checkbox"/> Document Legibility
<input type="checkbox"/> IIFW	_____	<input type="checkbox"/> Fees
<input type="checkbox"/> SRFW	_____	<input type="checkbox"/> Other
<input checked="" type="checkbox"/> DRW	<u>2/9/04</u>	
<input type="checkbox"/> OATH	_____	
<input type="checkbox"/> 312	_____	
<input type="checkbox"/> SPEC	_____	

[RUSH] MESSAGE: Attn Chief Draftsperson
Please provide more clean copy of drawings
There seems to be stamped data through drawings.
Thank you!

[XRUSH] RESPONSE: _____
CORRECTED DWG. FOR FIG. A-B AND K-24
~~FIG. 9 & 10~~
FIG. 9 & 10 WERE OK

INITIALS: JDC

NOTE: This form will be included as part of the official USPTO record, with the Response document coded as XRUSH.
 REV 10/04